Volume 5 & 6 Number 1 & 2 2015 / 2016

## Sri Lanka Journal of Advanced Social Studies

ISSN: 2012 - 9149

ISSN: 2386 - 1266 (online)

Published by

National Centre for Advanced Studies in Humanities and Social Sciences (NCAS)

No: 6 A Sukhastan Gardens Ward Place Colombo 7 Sri Lanka

#### Contents 03 Are Workers' Remittance Harsha Eranda Paranavithana Flows a Source of Economic **Development in Sri Lanka?** Gender Disparities in I.R. Bandara 25 Labour Force Participation in A.J. Satharasinghe Sri Lanka Bridging the Gap: People Nishara Fernando 41 Centered Policy Guidelines to Minimize Relocation Failures: Case of Sri Lanka **Factors Associated with** 55 M. Suchira Suranga Attitudes on Induced Abortion -Kalinga Tudor Silva A Community Based Study Lakshman Senanayake among Adults in Colombo City of Sri Lanka Impact of Social Welfare 81 W. Indralal De Silva Strategies on the Traditional Family D.M.S.G Wjerathna Systems: Evidence from Selected V.P.N Senadhi Countries in the Asian Region I.S Samarakoon

#### **About the Authors**

W. Indralal De Silva, MA and PhD (Canberra). Senior Professor of Demography (Chair), University of Colombo and Senior Research Fellow at the National Centre for Advanced Studies in Humanities and Social Sciences, Colombo, Sri Lanka email: indralald37@gmail.com

M. Suchira Suranga, M.Phil. (SRH), M.Sc. (Management), M.Sc. (Bio-statistics) Reading, B.Sc. (Agriculture), HEAD of Monitoring and Evaluation. The Family Planning Association of Sri Lanka. email: suchirasuranga@gmail.com

Kalinga Tudor Silva, BA PhD, Emeritus Professor in Sociology, University of Peradeniya, Sri Lanka. email: kalingatudorsilva@gmail.com

Lakshman Senanayake, F.S.L.C.O.G, F.R.C.O.G. (UK), M.R.C.O.G. (UK), M.B.B.S. Ceylon. Consultant Obstetrician & Gynecologist and a Council Member of the Sri Lanka College of Obstetricians & Gynecologists. email: laksena@hotmail.com

Nishara Fernando, PhD, Senior Lecturer, Department of Sociology, University of Colombo and Director, Social Policy Analysis and Research Centre (SPARC), Faculty of Arts, University of Colombo, Sri Lanka. email: nishara.fernando@gmail.com

V. P. N. Senadhi, B A, M A, Assistant Lecturer, Department of Demography, University of Colombo, Sri Lanka. email: nethrasenadi@gmail.com

**D.M.S.G. Wijerathna,** B.A., M.A, Assistant Lecturer, Department of Demography, University of Colombo, Sri Lanka. email: sandunigayanika@yahoo.com

I. S. Samarakoon, B.A, TemporaryTutor, Department of Demography, University of Colombo, Sri Lanka. email: i.shamika6@gmail.com

I.R. Bandara, MA, Additional Director General (Statistics) of the Department of Census and Statistics. email: indu.bandara@statistics.gov.lk or ibandara1961@qmail.com

Harsha Eranda Paranvithana, BSc, MA, MSc PhD (UWA- reading). Senior Economist Central Bank of Sri Lanka. email:hp2313@gmail.com

**A.J. Satharasinghe,** M.Sc., M.A. PhD, Director General of the Department of Census and Statistics, Sri Lanka. email: amara.satharasinghe@statistics.gov.lk

# Factors Associated with Attitudes on Induced Abortion – A Community Based Study among Adults in Colombo City of Sri Lanka

M. Suchira Suranga<sup>1</sup> K. Tudor Silva<sup>2</sup> Laksman Senanavake<sup>3</sup>

#### **Abstract**

Attitudes towards induced abortion can influence not only individual decision-making on the outcome of unwanted pregnancies, but also the health sector policy response towards future changes in the law. A structured questionnaire was administered among 743 randomly selected residents between the ages of 19 to 49 years after receiving written informed consent to identify the factors associated with abortion attitudes. Ethnicity, religion, age, years of formal education, marital status, and number of living children, individual exposure and personal experience about the issue were identified as the factors influencing abortion attitudes. The results of this study may be used by the stakeholders to design more focus interventions to address the issue in the future.

Key Words: Abortion attitudes; Associated factors; Induced abortion

<sup>1.</sup> M&E and Programme Management Specialist; currently working as the HEAD of Monitoring and Evaluation, The Family Planning Association of Sri Lanka.

Emeritus Professor in Sociology, University of Peradeniya, Sri Lanka. He has work experience in Hokkaido University Graduate School of Medicine, Japan, Whittier College, USA, Bowdoin College, USA, University College London, London, and University of Connecticut, USA.

<sup>3.</sup> Consultant Obstetrician & Gynecologist and a Council Member of the Sri Lanka College of Obstetricians & Gynecologists. email:-laksena@hotmail.com

#### Introduction

Abortion is the termination of a pregnancy, whether spontaneous or induced (Rock, Jones, & Howard, 2008). Induced abortion is caused intentionally by the administration of drugs or by mechanical means (The American Heritage Stedman's Medical Dictionary, 2002). Illegal abortion is an induced abortion performed contrary to the laws regulating abortion in that country (Mosby's Medical Dictionary, 2009). According to the World Health Organization (WHO); an unsafe abortion is the termination of an unintended pregnancy either by persons lacking the necessary skills or in an environment lacking the minimal medical standards or both (World Health Organization, n.d.). Globally, unsafe abortions are a significant cause of maternal mortality and morbidity. An estimated 21.6 million unsafe abortions took place worldwide in 2008, almost all in developing countries. Each year, an estimated 80,000 women die from complications of unsafe abortions, accounting for at least 13 percent of global maternal mortality (World Health Organization, 2011).

Abortion is legally permitted in Sri Lanka only if it is performed to save the mother's life (Sri Lanka Penal Code Section 303, 1883; Senanayake, Willatgamuwa, Moonasinghe, & Tissera, 2012). Even with a high national contraceptive usage rate of 68 percent with 50 percent using modern methods, some women still face the problem of unwanted pregnancy and resort to abortion in Sri Lanka (Senanayake, 2009). As there is a very restrictive law on abortion and a law enforcement mechanism in the country, women will avoid divulging the fact and it is difficult to determine the accurate prevalence rate for illegal abortions. However, a study undertaken in the late 1990s estimated that 125,000 to 175,000 induced abortions mostly illegal are performed annually in Sri Lanka (De Silva, 1997). A subsequent study estimated a much higher figure of 658 induced abortions per day giving an abortion ratio of 741 per 1000 live births (Rajapakse, 2000). The latest study applying Bongarts' models estimates induced abortion rate as 0.035, 0.147 and 0.087 per women in year 1993, 2000 and 2007 (Abeykoon, 2012). In the year 2013, the percentage contribution from abortion to maternal mortality was around 10 percent, making it the third most common cause of maternal death (Family Health Bureau, 2014).

General societal attitudes towards induced abortion can influence not only decision-making by individuals regarding the fate of unwanted pregnancies, but also the health sector policy response towards providing safe abortion services. It is not only the burden of illegal abortion; almost all health related issues are inevitable consequences of socio-economic perspectives of communities in the world. Health systems, health programs, and health policies of any country need to be developed taking in to consideration the social perceptions, attitudes, and values of the people.

Although there is limited research-based evidences on abortion attitudes in Sri Lanka, a few previous studies have focused on abortion attitudes of general public targeted sub segments of the community. Only less than half (43 percent) of abortion seekers felt that abortion services should be available on demand especially for unmarried women and approved the liberalization (45.9 percent) of abortion law. Among those who approved liberalization, only 27 percent approved such liberalization for both married and unmarried women (Rajapakshe & De Silva, 2000). Only 23 percent of women with history of abortion, 15 percent of women with unwanted pregnancies and even less proportion (10 percent) of women with wanted pregnancies felt that legalizing abortion will be beneficial for women (Thalagala, 2010). A qualitative study conducted by a group of researchers on knowledge attitudes and understanding of 25 legal professional regarding safe abortion as a women's right found that the majority (22/25) were either vehemently opposed on cultural and moral grounds or had some reservations about health implications for women. They said that legalizing abortions would promote irresponsible behavior; and that the government may not be able to fulfill the demand and there would be cultural and moral clashes (Dalvie, Batua, & De Silva). In another study, researchers highlighted that, all most all doctors (93 percent) and four fifth of (81 percent) of medical students accepted pregnancy termination as an appropriate course of action if a gross genetic defect is detected antenatal. Furthermore, 87 percent of doctors and 80 percent of students supported a change to the law allowing for termination of a pregnancy (Senanavake, Willatgamuwa, & Javasinghe, 2008), However, none of these studies have especially focused on factors associated with abortion attitudes.

Various attitudinal studies conducted in other countries have identified religion, religiosity, race, education, age, gender, gender role attitude, child baring motivation and ideal family size as determinants of the abortion attitudes (Carter & Dodge, 2009; Hertel, Hendershot, & Grimm, 1974; Wilcox, 1992; Jelen & Wilcox, 2003; Patel & Johns, 2009; Legge, 1983; Miller, 1994; Scott, 1998; Secret, 1987; Walzer, 1994). However, These factors and their association vary depending on the country context.

This study aims to understand the factors associated with adults attitudes towards induced abortion in Sri Lanka. Sri Lankan government and other development agencies may use the results of this study for development of health policies and programs.

## Methodology

The selected population for this study included all adults, aged 19 to 49 who have lived in the city of Colombo for at least one year. The study was conducted at the (Thimbirigasyaya Divisional Secretariat Division)(DSD). The 20 Grama Niladhari Divisions (GND) of Thimbirigasyaya DSD were

divided into two strata considering the percentage of households (HH) with toilet facilities exclusively for the HHs within the HH unit. Three GNDs were selected from each strata (total of six GNDs) using systematic probability proportionate to the size (PPS) cluster selection method. The selected GNDs were divided into housing clusters using the housing data derived from the 2012 department of election report. Five to eight housing clusters were selected from each GND by following the systematic PPS cluster selection method. 50 HHs were selected from each GND. Starting from a random point, every third HH was selected for the survey until the expected sample size was attained. The primary sample size for the HH survey was 300 HHs which was arrived by application of a standard sample size calculation formula for HH surveys (Department of Economic and Social Affairs, Statistics Division, United Nations Secretariat, 2005). All the eligible individuals who were willing to participate in the survey were interviewed after receiving written informed consent. Apart from the HH survey, 12 key informants (Health Professionals and Community Health Service Providers) were selected to identify possible interventions to address the issue. The Ethical Approval was received from the Ethical Review Committee of the Sri Lanka Medical Association. A structured questionnaire was administered by a team of well-trained survey staff who were recruited from Sociology Special graduates of University of Colombo. The key informant interviews were conducted by the Principle Investigator. Field data collection was conducted from February to April 2014.

# **Measuring Abortion Attitudes**

Respondent's level of agreement for provision of legal abortion in 10 specific circumstances were collected using a 1 to 5 Likert scale (Strongly disagree to strongly agree). The widely accepted methodology of additive scale, where an answer for each statement was given a score of 1 to 5 which were summed up to measure attitudes towards abortion (Elizabeth, Jelen, & Wilcox, 1993; Finlay, 1981; Harris & Mills, 1985; Emerson, 1996; Boggess & Bradner, 2000; Wilcox, 1992; Walzer, 1994). This aggregated score ranged from 10 to 50 where lower values reflect conservative attitudes towards induced abortion and higher scores reflect liberal attitudes towards induced abortion. The scale shows an acceptable level of internal validity with 0.883 Cronbach's alpha (Tavakol & Dennick, 2011). The data was statistically analyzed using SPSS software.

#### **Results and Discussion**

This research obtained at least one response from 271 HHs out of 300 selected HHs. The remaining HHs had no person eligible to participate in the study or they were not willing to participate in the study. There were 1,022 eligible people residing in the 271 HHs surveyed. However, only 825 participants (80.72 percent) were available for the interview on the date of the visit. 743 valid responses (90.06 percent) were received.

## Sample Characteristics

The average age of the respondents was 33 years (SD = 11.15). The sample consists of 305 (41.22 percent) males and 435 (58.78 percent) females. The average HH size of the sample was 5.46 per HH. The sample consisted of 384 (51.68 percent) Sinhalese, 131 (17.63 percent) Muslims, and 221 (29.74 percent) Tamils. Similarly, the sample contained 316 (42.53 percent) Buddhists, 136 (18.30 percent) Islamists, 165 (22.21 percent) Hindus, 50 (6.73 percent) Roman Catholics and 76 (10.23 percent) Christians. Approximately 71.53 percent of the participants have received education up to General Certificate of Education (GCE) ordinary level (O/L) or above with average years of formal education of 11.20 (SD = 2.75) years ranging from 2 years to 19 years. Around 53.44 percent of the respondents were married and the mean age at first marriage was 24.36 (SD=3.25) with the range of 18 years to 41 years. The demographic profile of the sample was aligned with the Department of cense data of Thimbirigasyaya DSD in 2012 (Department of Censes and Statistics, 2012).

## **Socio Demographic Factors Associated with Abortion Attitudes**

As described in Table 01, there was no statistically significant association between sex and aggregated score of respondents' attitudes on abortion. Detail analysis shows, that males are more likely to accept legalized abortion for hard reasons (Rape, Incest and Fetal Abnormalities) than females (Figure 01). However, the interesting finding is that females are more likely to accept legalizing abortion than males for soft reasons (in the situations of poor economic conditions ( $x^2$ =11.582, P=0.001), contraceptive failure (Chi2=4.118, P=0.042), at the request of the couple ( $x^2$ =7.703, P=0.006) and at the request of the woman ( $x^2$ =7.886, P=0.005). This result indicates that the males are more reluctant to accept legalizing abortion for the conditions which are within the control of women. This may be due to the distribution of gender roles in Sri Lankan society where women are more likely to be sensitive towards the issues related to poor economic conditions of the family and contraceptive failures.




Figure 1:- Percentage of respondents agreed to accept legalized abortion under different conditions by sex




Figure 2.- Percentage of respondents agreed to accept legalized abortion under different conditions by age

Supporting the findings of the current study, Rogers Robyn (1987) theorized that women take abortion more seriously than men since they have the final responsibility and therefore tend to be more liberal in their attitudes (Robyn, 1987). However, after reviewing past studies, Anna Narendra (2010) summarized that the past findings of whether sex affects abortion attitudes are inconsistent and yield diverse results under different social settings (Narendra, 2010).

Table 01. Socio-Economic and Demographic Factors Associated with Attitudes on Abortion


Variables a	Observa	ations	С	entral ten dispe		nd	Tests fo	r association	and differences		
Variable	Levels	N	%	Mean	Median	Mean Rank	SD	Spearma n Rank Correlati on (2- tailed)	Test for median	Mann Whitney U test / Kruskal- Wallis test	
01) Ethnicity	Indian Tamil	16	2%	30.92	30.12	435	9.44	N/A	P=0.000**	P=0.000** Chi <sup>2</sup> =154.912 Effect size=21%	
	Sinhalese	384	52%	28.62	29.00	421	7.74				
	Sri Lankan Tamil	205	28%	27.81	28.00	385	7.92				
	Muslims	131	18%	19.62	19.00	159	6.83				
	Burger	7	1%	29.00	27.00	381	12.78			ĺ	
	Total	743	100%	26.86	28.00	N/A	8.43				
02) Religion	Buddhist	316	43%	28.85	29.00	424	7.24	3	P=0.000**	P=0.000** Chi <sup>2</sup> =148.153 Effect size=20%	
	Islam	136	18%	20.16	19.00	171	7.54				
	Hindu	165	22%	27.05	28.00	368	8.11				
	Roman				30.00	424					
	Catholic	50	7%	28.44			8.68				
	Christian	76	10%	29.17	20.00	422	9.05				
	Total	743	100%	26.86	28.00	N/A	8.43				
03) Gender	Female	435	59%	27.50	28.00	367	8.28	N/A	N/A	P=0.560	
	Male	305	41%	25.96	28.00	358	8.57	1		Z=-0.584	
	Total	740	100%	26.86	28.00	N/A	8.43	1			
04) Age	Below 25	267	36%	28.36				r= - 0.122**	N/A	N/A	
	25-39	189	25%	27.66				P=0.001			
	Above 29	287	39%	26.23				0.001			
	Total	743	100%	26.86							

05) Years of formal	2-6	43	6%	23.69			9.74	r=0.111**	N/A	
Education	7-11	409	56%	26.69			8.26	P=0.003		
	12-16	256	35%	27.82			8.23			
	17-21	26	4%	27.72			7.56			
	Total	734	100%	26.94			8.36			
06) Marital Status	Married	396	53%	25.91	27.00	335	8.36	N/A	P=0.005**	P=0.000**
	Never Married	317	43%	27.94	28.00	395	8.45			Chi <sup>2</sup> =18.189 Effect size=2%
	Divorced	7	1%	32.57	30.00	504	6.73			
	Widow	21	3%	27.05	28.00	397	8.01			
	Total	741	100%	26.87	28.00	N/A	8.44			
07) Number of	0	379	51%	27.91			8.18	r=-	N/A	N/A
living children	1	78	10%	26.50			9.89	0.184** P=0.000		
	2	144	19%	26.87			8.00			
	3	99	13%	24.38			8.09			
	4	32	4%	24.98			8.68			
	5	9	1%	20.97			9.06			
	6	3	0%	14.67			8.08			
	Total	744	100%	26.83			8.48			

<sup>\*</sup> Statistically significant at 95% confidence interval \* \* Statistically significant at 99% confidence interval

Aggregated score of respondents' attitudes on abortion is negatively correlated with the age of the respondent (Spearman Correlation Co-efficient = -0.122, P=0.001). Youth respondents are more likely to accept liberalized abortion than adults (Table 01). Detail analysis shows that respondents below 25 years of age are more likely to accept legalizing abortion under rape ( $X^2$ =8.596, P= 0.003), incest ( $X^2$ =5.360, P= 0.021), fetal abnormalities ( $X^2$ =7.592, P= 0.006) and poor economic conditions ( $X^2$ =10.847, P= 0.001) than adults above 25 years of age (Figure 02). This difference of attitudes may be due to the generational differences with the influence of human rights concepts which emerged recently and are discussed broadly during the past few decades in Sri Lanka.

Furthermore, we found that the Muslims were more conservative compared to all other ethnic groups. As indicated in the Table 01, attitudes of the "Muslim" ethnic group was significantly different from Sinhalese (effect size = 28%, P=0.000), Indian Tamils (effect size=13%, P=0.000) and Sri Lankan Tamils (effect size = 31%, P=0.000). Detail analysis confirm that there are statistically significant (Confidence Interval = 99 percent) associations between the respondents' ethnicity and attitudes towards the abortion for all 10 conditions concerned (Figure 03). Muslims are less likely to accept liberalized abortion laws for all these conditions compared to other ethnic groups. Previous studies on fertility intention conducted in Sri Lanka also demonstrate the same pattern where Muslim women showed highest desired family size (De Silva, 1992b) and highest reluctance to stop childbearing, irrespective of their age (De Silva, 1992a). In comparison to other ethnoreligious groups in Sri Lanka, Muslim women commonly resist contraception, especially sterilization (De Silva, 1992c).



Similarly, as described in Table 01, Islam was identified as the most conservative religion in comparison to Buddhism (effect size = 30%, P=0.000), Hinduism (effect size = 26%, P=0.000), Roman-Catholicism (effect size = 23%, P=0.000) and Christianity (effect size = 27%, P=0.000). There are statistically significant (Confidence Interval = 99 percent) associations among respondents' religion and attitudes towards abortion for all 09 conditions concerned except for "at the request of the couple or women (on demand)". Islam respondents are less likely to accept liberalized abortion laws for all these conditions compared to other religions (Figure 04).






Figure4:- Percentage of respondents agreed to accept to legalized abortion law under different conditions by religion

One of the interesting findings of this study is that, even though respondents (belonging to all religions) agreed that induced abortion is against their religious beliefs irrespective of their religion. When it comes to practical situations, respondents of various religions tend to accept legalizing abortion differently.


As described in Table 01, there is a statistically significant and positive correlation between the aggregated score of respondents attitude towards the abortion law and years of formal education (r=0.111, P=0.003). Respondents with high level of education are more likely to accept a liberalized law on abortion



Previous studies conducted in Sri Lanka show that well educated women have lower ideal family size and prefer smaller families (De Silva, 1992b). Similarly, educated women are more likely to be motivated to cease childbearing than non-educated women (De Silva, 1992a). This fertility intention may affect when determining the attitudes towards abortion. In fact, in her review of past studies, Finlay Barbara (1981) noticed that one of the most important factors in explaining a person's attitude toward abortion was educational attainment. Researchers who have studied this area of interest agree that education has a profound impact on general abortion attitudes. The positive association between level of education and liberal attitude towards abortion is a regular finding in other countries as well (Lucinda & Cynthia, 2009).



As shown in the Table 01, there is a statistically significant association between marital status and the aggregated score on attitudes towards induced abortion (P=0.000, Effect size=2). Married respondents are more conservative compared to other categories. There are statistically significant (Confidence interval = 95 percent) associations between the respondents' marital status and respondents' attitude towards the abortion law for rape, incest, fetal abnormality conditions and poor economic conditions. Never married respondents are more likely to accept a liberalized abortion law when compared to married respondents for all these conditions (Figure 06).



There is a statistically significant correlation between number of living children and aggregated score on respondents attitudes towards the abortion law (r= - 0.184, P=0.000). More specifically, respondents with lesser number of living children are more likely to accept a liberalized law on abortion (Table 01). Detail analysis shows that there are statistically significant (Confidence Interval = 95 percent) associations between number of living children and attitudes towards abortion law for rape, incest and fetal abnormality (Figure 07).

Table 02: Individual Exposure to Contraceptive Failure and Unexpected Pregnancies as Factors Associated with Attitudes Towards Abortion

Variables and Levels				Observations Central tendency and dispersion						Tests for associations		
Vai	Variable Lo		N	%	Mean	Median	Mean Rank	SD	Test for median	Kruskal-Wallis test		
1.	Do you know any person (relation, or friend) who has ever faced to a situation of contraceptive failure?	No	586	88%	27.05	28.00	324	7.67		P=0.020* x <sup>2</sup> =5.406		
		Yes	79	12%	29.25	31.00	377	9.26	P=0.069	Effect size=1%		
		Total	665	100%	27.31	28.00		7.90				
2.	Do you know any person (relation, neighbor or friend) who has ever faced an unexpected pregnancy?	No	536	81%	26.77	28.00	314	7.93		P=0.000** x <sup>2</sup> =19.434 Effect size=3%		
		Yes	128	19%	29.70	30.00	397	7.44	P=0.002**			
		Total	664	100%	27.33	28.00		7.91				
3.	Do you know any person (relation,	No	609	92%	27.22	28.00	325	7.83	P=0.051	P=0.105 x <sup>2</sup> =2.623 Effect size=0%		
	neighbor or friend) who has had to go	Yes	53	8%	28.32	30.00	369	9.05				
	through an illegal abortion?	Total	662	100%	27.31	28.00		7.94				
4.	Do you aware of a woman who had	No	635	96%	27.17	28.00	326	7.87		P=0.044*		
	experienced complications after	Yes	28	4%	29.46	31.00	400	9.07	P=0.156	$x^2 = 4.039$		
	undergoing an illegal abortion?	Total	663	100%	27.27	28.00		7.93		Effect size=1%		
5.	Do you aware of a person / health	No	610	92%	27.15	28.00	323	7.83		P=0.012		
	professional who would be ready to	Yes	51	8%	29.28	30.00	393	8.64	P-0.047*	x <sup>2</sup> =6.338 Effect size=1%		
	provide an abortion service illegally?	Total	661	100%	27.32	28.00		7.91		Lifett Size-1%		

<sup>\*</sup> Statistically significant at 95% confidence interval

<sup>\* \*</sup> Statistically significant at 99% confidence interval

Previous studies conducted in Sri Lanka clearly shows that there is a substantial interest in limiting fertility among women with lower parities (De Silva, 1992b). Supporting the findings of current study, William Marsiglio and Constance Shehan (1993) conclude that young American men who desire a large number of children and those who would be most pleased by becoming a father in the immediate future had the most unfavorable attitudes towards induced abortion. These facts indicate the association of fertility intentions with abortion attitudes. Researchers tend to consider that abortion in Sri Lanka is an unrecognized method of fertility control (De Silva, Perera & Anuranga, 2010; De Silva, 1996; De Silva, 1992a).

# Individual Exposure to Contraceptive Failure and Unexpected Pregnancies as Factors Associated with Abortion Attitudes

As explained in Table 02, respondents with higher levels of pregnancy related vulnerable exposure generally tend to have liberal attitudes towards the abortion law. More specifically, respondents who knew any person (relative, neighbour or friend) who experienced an unplanned pregnancy (P=0.000. Effect size=3%), respondents who are aware of any person (relative, or friend) who has ever faced a situation of contraceptive failure (P=0.020, Effect size=1%) and respondents who are aware of a woman who has experienced complications after undergoing an illegal abortion (P=0.044, Effect size=1%) are more likely to accept liberalization of abortion law than respondents who were not exposed to these kind of situations. Respondents who knew any person (relation, neighbor or friend) who has gone through a termination and respondents who are aware of a person including health professionals who would be ready to provide abortion services illegally do not show a statistically significant association with respondents' attitudes towards the abortion law at the 95 percent confidence interval. However, individual pregnancy related vulnerable exposure does not show any negative association with liberal attitudes of the respondents under any situation.

# Personal Experiences on Using Contraceptives and Unexpected Pregnancies as Factors Associated with Abortion Attitudes

Table 03 illustrates the association between respondents' attitudes towards the abortion law and individual experiences of using contraceptives or emergency contraceptives, contraceptive failures, unexpected pregnancies and induced abortion. Results show that the individual experiences are positively associated with liberal attitudes towards abortion under all situations. In other words, respondents who have ever used contraceptives (P=0.000, Effect size=3%), respondents who have ever used emergency contraceptives (P=0.000, Effect size=4%), respondents who have ever faced a situation of contraceptive failure (P=0.001, Effect size=3%), respondents who have ever faced a situation of unplanned pregnancy (P=0.011, Effect size=2%), and respondents who have ever undergone a termination (P=0.013, Effect size=1%) tend to accept liberalization of the abortion law compared to respondents who have not experienced these types of personal experiences.

Table 03: Personal experiences of using contraceptives and unexpected pregnancies as factors associated with abortion attitudes

Va	riables and Levels	Obsei	vations	Centra	l tendency	and dispe	rsion	Tests for associations		
Va	Variable Lev		N	%	Mean	Median	Mean Rank	SD	Test for median	Kruskal-Wallis test
1)	Have you (or your sexual partner) ever	No	272	65%	25.43	26.00	189	7.46	P=0.000**	P=0.000** Chi <sup>2</sup> =12.808 Effect size=3%
	used any kind of contraceptive method?	Yes	144	35%	27.36	28.00	233	9.77		
		Total	416	100%	26.10	28.00		8.37		
2)	Have you (or your sexual partner) ever	No	363	87%	25.99	27.00	195	7.68	P=0.000**	P=0.000** Chi <sup>2</sup> =16.134 Effect size=4%
	used any kind of emergency contraceptive?	Yes	52	13%	26.82	31.00	269	12.31		
		Total	415	100%	26.10	28.00		8.38		
3)	Have you (or your sexual partner) ever	No	399	97%	25.85	27.00	199	8.16	P=0.023*	P=0.001** Chi <sup>2</sup> =11.242 Effect size=3%
	faced a situation of contraceptive failure?	Yes	14	3%	32.06	33.00	309	12.31		
			413	100%	26.06	28.00		8.38		
4)	Have you (or your sexual partner) ever	No	399	97%	25.92	27.00	200	8.21	P=0.087	P=0.011* Chi <sup>2</sup> =6.521 Effect size=2%
	faced a situation of unexpected pregnancy?	Yes	14	3%	30.07	33.00	284	12.16		
		Total	413	100%	26.06	28.00		8.38		
5)	Have you (or your sexual partner) ever faced a situation of illegal abortion?	No	405	98%	25.98	27.00	201	8.25	P=0.124	P=0.013* Chi <sup>2</sup> =6.203
	iaceu a situation oi illegal aboltion?	Yes	8	2%	29.86	35.00	311	13.81		Effect size=1%
		Total	413	100%	26.06	28.00		8.38		

<sup>\*</sup> Statistically significant at 95% confidence interval

<sup>\* \*</sup> Statistically significant at 99% confidence interval

## **Results of Binary Logistic Model**

Apart from bi-variate analysis described in previous sections, this study was extended to identify factors which affect a respondent's agreement to legalize abortion in two selected circumstances; Rape and Incest. Table 04 demonstrate the results of binary logistic regressions for above two selected circumstances. While the results of the binary logistic model confirm the findings of the bi-variate analysis, individual and household characteristics have been included in the model to enhance its goodness of fit. As per the binary logistic mode, increase in formal education by 1 year increase the odds of accepting legalized abortion in the case of rape by 5.3 percent and incest by 3.3 percent. Similary, increase of the parity by one child decrease the odds of accepting legalized abortion in the case of rape by 23 percent and incest by 20 percent. Odds of accepting legalized abortion for rape by Muslim respondents is 96 Percent lower than the respondents belonging to other religions. Odds of accepting legalized abortion for rape by male respondents is 79 percent higher than the females.

Table 04:- Results of Binary Logistic Regression to Elaborate Factors Associated with Respondent's Willingness to Legalize Abortion for Rape and Incest

Variable in the model			anka must lega ancy resulting a		Government of Sri Lanka must legalize abortion to terminate pregnancy resulting an incest					
	B Wald		Significance	Odd Ratio	В	Wald	Significance	Odd Ratio		
Formal Education (Number of completed Years)	0.051	1.374	0.241	1.053	0.032	0.635	0.425	1.033		
Number of Living Children	-0.266	10.906	0.001	0.767	-0.224	8.453	0.004	0.800		
Muslims or Other (Muslim=1, Other =0) - Reference Category = Muslim	-2.566	100.309	0.000	0.077	-2.672	95.209	0.000	0.069		
Number of Bed Rooms in the Household	0.425	8.072	0.004	1.530	0.402	8.344	0.004	1.495		
Read any newspaper article on abortion during the last year (Yes = 1, No=0) - Reference category = No	-0.724	4.373	0.037	0.485	-0.380	1.356	0.244	0.684		
Gender (Male=1, Female = 0) - Reference category = Male	0.582	6.510	0.011	1.790	0.789	13.025	0.000	2.20		
Constant	0.133	0.063	0.801	1.143	-0.307	0.384	0.536	0.736		
-2 Log likelihood	2 Log likelihood 580.424a						651.298a			
Cox & Snell R Square	0.216		0.225							
Nagelkerke R Square	0.317		0.310							

#### **Summery and Conclusion**

Ethnicity, religion, age, years of formal education, marital status and number of living children were identified as the factors associated with respondent's attitude towards induced abortion. Muslims are more conservative over all other ethno-religious groups for legalizing induced abortion. Respondents with high level of education, less number of living children and lower age (youth) are more likely to accept liberalized law on abortion. Similarly, never married respondents are more likely to accept legalizing abortion over married respondents. Respondents with higher level of exposure generally tend to hold liberal attitudes towards the abortion law. Respondents who know any person (relation, neighbour or friend) who has ever faced with an unexpected pregnancy, respondents who are aware of any person (relation, or friend) who has ever faced a situation of contraceptive failure and respondents who are aware of a woman who had experienced complications after undergoing an unsafe abortion are more likely to accept liberalization of abortion law than the respondents who do not have exposure to these kind of situations. Similarly, own personal experience of the individual is positively associated with liberal attitude towards abortion for all the situations. Respondents who have ever used a contraceptive, respondents who have ever used emergency contraception, respondents who have ever faced a situation of contraceptive failure, respondents who have ever faced a situation of unplanned pregnancy, respondents who have ever undergone a pregnancy termination tend to accept liberalization of the abortion law than the respondents who do not have these kinds of personal experiences.

A series of more focused interventions are needed to generate public awareness on current law on abortion and to sensitize the community. The results of this study may be used by the stakeholders to design more focused information, education and communication (IEC) interventions to address the issue. Particularly, future IEC interventions must be more focused on Muslims with higher family size and lower level of education. Future studies may focus on analyzing reasons for conservative attitudes and its behavioral intensions.

# Acknowledgement

The field survey team headed by Ms. Chamari Kumari De Thabrew., Prof. Indralal De Silva, Prof. Wanigasundara, Prof. S. Samitha, Prof. W.M.K. Wijethunga, Dr. Sumithra Tissera, Ms. Thushara Agus, Ms. Natasha Rosayro, Mr. Duminda Rajakaruna, Mr. Kalhara Senadhira, Dr.Thiloma Moonasinghe, Dr. Heshan Wickramasinghe, Mr. Mahinda Deshapriya, Mr. R.V.P. Rajapakshe, Mr. Thilina Wickramarathne, Mr. Chaminda Hettiarachchi, Ms. Mallika Samarawickrama and Mr. Krishan Yogeshwaran, Dr. Karthik Sirinivasan, Ms. Nilanthi Kumari Weerasinghe

#### References

- Abeykoon, A. T. P. (2012). Estimates of abortion rate in Sri Lanka using bongaarts model of proximate determinants of fertility. Colombo: The United Nations Population Fund. doi:978-955-8375-04-4
- Arambepola, C., & Rajapakshe, C. L. (2014). *Hospital based study on unintended pregnancies in Sri Lanka*. Colombo: United Nations Pupulation Fund.
- Boggess, S., & Bradner, C. (2000). Trends in adolescent males' abortion attitudes, 1988-1995: Differences by race and ethnicity. *Family Planning Perspectives*, 32(3), 118-123.
- Carter, J. S., Carter, S., & Dodge, J. (2009). Trends in abortion attitudes by race and gender: A re-assesment over four decade period. *Journal of Sociological Research*, 1(1).
- Dalvie, S., Batua, A., & De Silva, W. I. (n.d.). A study of knowledge, attitudes and understanding of legal professionals about safe abortion as a women's right. Retrieved July 5, 2014, from *Asia Safe Abortion Partnership*:http://asap-asia.org/wp-content/uploads/2015/01/Philippines\_Abortion\_Booklet\_Update.pdf
- De Silva, W. I. (1992a). Are generalized and personal ideal family size preferances comparable? The Sri Lankan experience. The *Journal of Family Welfare*, *38*(4), 1-13.
- De Silva, W. I. (1992b). Relationships of desire for no more children and socio economic and demographic factors in Sri Lankan women. *Journal of Biosocial Science*, 24(2), 185-199.
- De Silva, W. I. (1992c). Do fertility intentions and behaviour influence sterilization in Sri Lanka? *Asia-Pacific Population Journal*, 7(4), 41-60.
- De Silva, W. I. (1994). Ahead of target: Achievement of replacement level fertility in Sri Lanka before the year 2000. *Asian Population Journal*, 9(4), 3-22.
- De Silva, W. I. (1996). Reproductive change in Sri Lanka: Analysis of intermediate variables, 1982 and 1987. Social Biology, 43(3-4), 242-257.
- De Silva, W. I. (1997). The practice of induced abortion in Sri Lanka. No. 137. Boston: Harvard School of Public Health.

- De Silva, W. I., Perera, B. N., & Anuranga, K. C. (2010). Bellow to above replacement: Increased fertility and its determinants in Sri Lanka. *Asia Pacific Population Journal*, *25*(2), 27-52.
- Department of Censes and Statistics. (2012). *National Popultion and Housing* 2012. Colombo: Department of Censes and Statistics.
- Department of Economic and Social Affairs, Statistics Division, United Nations Secretariat. (2005). *Designing Household Survey Samples:*Practical Guidelines . Retrieved Jnuary 15, 2013, from http://unstats.un.org/unsd/demographic/sources/surveys/Handbook23June05.pdf
- Dugger, K. (1991). Race differences in the determinants of support for abortion attitudes. *Social Science Quartely*, 72(3), 570-587.
- Elizabeth, C. A., Jelen, T. G., & Wilcox, C. (1993). Measuring public attitudes on abortion: Methodological and substantive considerations. *Family Planning Perspectives*, 25(3), 118-121+145.
- Emerson, M. O. (1996). Through tinted glasses: Religion, worldviews, and abortion attitudes. *Journal for the Scientific Study of Religion*, *35*(1), 41-55.
- Family Health Bureau. (2014). *Annual report on family Health* 2013. Colombo: Family Health Bureau. doi:2345-9484
- Finlay, B. A. (1981). Sex differences in correlates of abortion attitudes among college students. *Journal of Marriage and Family, 43*(3), 571-582.
- Harris, R. J., & Mills, E. W. (1985). Religion, values and attitudes toward abortion. *Journal for the Scientific Study of Religion*. 24(2), 137-154.
- Hertel, B., Hendershot, G. E., & Grimm, J. W. (1974). Religion and attitudes towards abortion. *Journal for the Scientific Study* of Religion, 13(1), 23-34.
- Jelen, T. G., & Wilcox, C. (2003). Causes and consequences of public attitudes towards abortion: A review and research agenda. Long Beach: Western Political Science Association.
- Legge, J. S. (1983). The determinants of attitudes towards abortion in the american electorate. The Western Political Quartery, 36(3), 479-490.
- Lucinda, J., & Cynthia, P. (2009). Gender role attitudes and attitudes to abortion: Are there gender differences? *The Social Science Juournal*, 46(3), 493-505.

- Miller, W. B. (1994). The reltionship between childbeaaring motivation and attitudes abortion among mrried men and women. *Family Planning Perspectives*, 26(4), 165-168.
- Mosby's Medical Dictionary. (2009). Mosby's medical dictionary (8th ed.).
- Narendra, A. (2010). Implications of sex and education on abortion attitudes : A cross sectional analysis.
- Patel, C. J., & Johns, L. (2009). Gender role attitudes and attitudes to abortion: Are there gender differences. *The Social Science Journal, 46,* 493-505.
- Perera, J., De Silva, I. W., & Gange, H. (2004). Knowledge behavior and attitude on induced abortion and family planning among Sri Lankan women seeking termination of pregnancy. *Ceylon Medical Journal*, 49(1), 7-14. Retrieved March 15, 2014, from http://www.ncbi.nlm.nih.gov/pubmed/15255322
- Rajapakse, L. C. (2000). Estimates of induced abortion using RRT technique. Colombo: University of Colombo.
- Rajapakshe, L., & De Silva, W. I. (2000). Profile of women seeking abortion. Colombo: University of Colombo.
- Renzi, M. (1975). Ideal family size as an intervening variable between religion and attitudes towards abortion. *Journal for the Scientific Study of Religion*, 14(1), 23-27.
- Robyn, R. (1987). Variables related to pro-choice attitudes among undergraduates. Adolescence, 22(87), 517-524. Retrieved December 18th, 2014, from http://psycnet.apa.org/psycinfo/1988-11702-001
- Rock, A. J., Jones, I., & Howard, W. (2008). Telinde's oparative gynecology.
- Scott, J. (1998). Gnerational changes in attitudes to abortion; A cross-national comparision. *Euroean Sociological Review, 14*(2), 177-190.
- Secret, P. E. (1987). The impact of region on racial defferences in attitudes towards legal abortion. *Journal of Black Studies*, 17(03), 347-369.
- Senanayake, L., Willatgamuwa, S., & Jayasinghe, K. (2008). Reducing the burden of unsafe abortion in Sri Lanka A situation analysis and plan of action. Colombo: The Family Planning Association of Sri Lanka.
- Senanayake, L. (2009). Prevention of unsafe abortion in Asia Ocenia region.

  Asia Ocenia Federation of Obstetrics and Gynecology.

- Senanayake, L., Willatgamuwa, S., Moonasinghe, L., & Tissera, S. (2012). Unwanted / unplanned pregnancies and their aftermath. Colombo: The Family Planning Association of Sri Lanka in collaboration with the College of General Practitioners of Sri Lanka.
- Simpson, B., Dissanayake, M. V., Wickramasinghe, D., & Jayasekara, W. R. (2003). Prenatal testing and pregnancy termination in Sri Lanka; Views of medical students and doctors. Ceylon Medical Journal, 129-132.
- Sri Lanka Penal Code Section 303. (1883). University of Menesota. Retrieved August 15, 2015, from http://www1.umn.edu/humanrts/research/srilanka/statutes/Penal Code.pdf
- Tavakol , M., & Dennick, R. (2011). Making sense of cronbach's alpha. International Journal of Medical Education, 2, 53-55.
- Thalagala, N. (2010). *Economic perspectives of unsafe abortions in Sri Lanka*.

  Colombo: The Family Planning Association of Sri Lanka.
- Thalagala, N. (2010). Unsafe abortions in Sri Lanka –facts and risk profile. Journal of the Community Physicians of Sri Lanka, 15(1). Retrieved December 3, 2014, from http://jccpsl.sljol.info/ articles/abstract/10.4038/jccpsl.v15i1.4934/
- The American Heritage Stedman's Medical Dictionary. (2002). Induced abortion. Retrieved March 08, 2014, from http://dictionary.reference.com/browse/inducedabortion
- Walzer, S. (1994). Role of gender in determining abortion attitudes. *Social Science Quartely, 75*(3), 687-893.
- Wickramasinghe, H. K., Wickramasinghe, I. S., Atukorala, R. K., & Weerasurendera, B. (2009). Attitudes on abortion among a group of Sri Lankan medical students. Colombo: Faculty of Medicine, University of Colombo.
- Wilcox, C. (1992). Race, religion, region and abortion attitudes. *Sociological Analysis*, *53*(1), 97-105.
- World Health Organization. (2011). WHO sexual and reproductive health strategy 2010 2015. World Health Organization. Geneva, Switzerland: WHODocument Production Services. *Retrieved January* 13, 2015, from http://apps.who.int/iris/bitstream/10665/78068/1/WHO\_RHR\_11.07\_eng.pdf
- World Health Organization. (n.d.). Preventing unsafe abortion. *Retrieved June 25*, 2015, from http://www.who.int/reproductivehealth/topics/unsafe abortion/hrpwork/en/